tological faunas and is collaborating with Dr. Ernest Williams on a faunal analysis of the Cayman Islands.

CARL KAUFFELD, Curator of Reptiles of the Staten Island Zoological Park, has just completed a popular book on his experiences collecting reptiles. This anecdotal account will be published by Doubleday and Company in March of 1957.

SAMUEL B. McDowell, Jr., a student at Columbia University working at the American Museum of Natural History, is completing a detailed study of the skulls of *Anelytropsis* and *Dibamus* to determine their relationships.

DR. JOHN A. MOORE, Professor of Zoology at Barnard College, is working on the classification of Australian frogs, emphasizing ecological and life history data. When in Australia recently on a Fullbright grant, DR. MOORE assembled more life history data than had been known previously for these frogs.

Check List of Amphibians and Reptiles

THE Sixth Edition, 1953, of "The Check List of North American Amphibians and Reptiles" is available

from the Publications Secretary for \$3.25. Many college and university libraries have not purchased this essential reference. Herpetologists can help make possible a new, revised checklist by encouraging purchases.

ASIH 1957 Annual Meeting, New Orleans be held at the Jung Hotel and Tulane University April 18-21. Members desiring to present papers must submit titles, time required, and equipment needs to FRED R. CAGLE, Zoology Department, Tulane University, prior to February 15. Room reservations should be made with Mr. Rodney Baker, Reservation Department, Jung Hotel.

INDEX TO SCIENTIFIC NAMES 1956 Nos. 1-4

New names and their principal references are printed in bold face type

abacura, Farancia abacura, 257 Abastor, 258 erythrogrammus, 200 abbreviata, Moringua, 11, 15-16 Acantharchus pomotis, 198 acanthias, Squalus, 269 Acanthurus, 21-22 achilles, 21-24 achilles x glaucopareius, 21 aliala, 21 aterrimus, 24 celebicus, 22 glaucopareius, 21-24 guttatus, 22 leucosternon, 21–22 monroviae, 21 pyroferus, 22 rackliffei, 21, 23–24 triostegus, 23–24 achilles, Acanthurus, 21-24 Acidenser ruthenus, 269 sturio, 116 crepitans blanchardi, 189 gryllus, 200 addisi, Luzonichthys, 251 addisi, Naurua, 251 Aequidens latifrons, 112 aethiops, Cnemidophorus tigris, 261 Agkistrodon, 258–259 bilineatus, 259 bilineatus taylori, 259 Ailurichthys, 249 albagula, Plethodon glutinosus, 81 albeolus, Paraliparis, 67 albilabris, Leptodactylus, 207-210

albisella, Dascyllus, 196 aliala, Acanthurus, 21 allector, Dolopichthys, 245 Alligator mississipiensis, 124, 270 alpinus, Salvelinus, 202, 240 Alsidium, 22 Alticus eques, 247 gigas, 247 Ambystoma gracile, 41-42, 44-46, 49-50 gracile decorticatum, 46 laterale, 188 maculatum, 42, 191 punctatum, 231 tigrinum, 42, 45, 49 tigrinum tigrinum, 189 Ameiurus, 134 natalis, 158 americanus, Ammodytes, 192 americanus, Bufo terrestris, 189 americanus, Pristigaster, 64 Amia calva, 158 Ammodytes americanus, 192 amoena, Carphophis amoena, 200 Amphiuma means tridactylum, 200 Amyda, 262 Ancistrodon, 258-259. Anguilla, 9, 15-17 Anguillichthys, 15-16 bahamensis, 11 angusticeps, Testudo, 170-171 Annanemys, 262 annularis, Pomoxis, 198 annulata, Dipsas, 57-58 annulata, Leptodeira, 58

Anolis, 129 carolinensis, 214-216 Anoptichthys antrobius, 113 hubbsi, 113 jordani, 113 antipex, Terrapene, 165 antrobius, Anoptichthys, 113 Aphredoderus sayanus, 18 sayanus gibbosus, 18 Aphthalmichthys, 11 arae, Bathylagus, 67 Archaeochelys, 131 Archoplites, 199 interruptus, 197-198, 217 Arctogadus, 68 argenteus, Diretmus, 245 Argyropelecus gigas, 243 lychnus, 110 olfersi, 109-110 sladeni, 109-110 Arizona, 212 arnyi, Diadophis punctatus, 51-52 Artediellus, 68 scaber, 68 artedi, Leucichthys, 116, 141 Ascaphus, 131 asper, Cottus, 149 Aspidophoroides olriki, 68 Aspis, 213 Astyanax, 113-114 mexicanus, 113 atascoase, Gopherus, 163 atchafalayae, Signalosa petenensis, 192 aterrimus, Acanthurus, 24 atrox, Crotalus, 125, 212-213 auritus, Lepomis, 200 aurora, Rana, 44 aurora, Rana, 44 australis, Remilegia, 70 autumnalis, Coregonus, 240 Avocettina, 96, 99 Avocettinops, 95–99 normani, 98–99 schmidti, 95–96, 98–99 Bacre, 248 bagre, Silurus, 248 bahamensis, Anguillichthys, 11 bairdi, Cottus, 59 bairdi, Cottus bairdi, 141, 143, 145–147, 150 bajonado, Calamus, 194 bakewelli, Leptotyphlops phenops, 94 Barbus fasciatus, 194 grayi, 194 melanampyx, 194 barratti, Etheostoma, 200 bathybius, Lycodes, 67 Bathylagus arae, 67 bauri, Kinosternon, 186 bauri, Kinosternon bauri, 186-188 bauri, Terrapene carolina, 165 beryllina, Menidia, 200 bicarinatus, Grammatorcynis, 65 bicolor, Moringua, 11, 15-16 bilinearis, Merluccius, 111 bilineatus, Agkistrodon, 259 biocellatus, Homesthes, 248 Bitis caudalis, 213 cornuta, 213

blanchardi, Acris crepitans, 189 blanchardi, Diadophis regalis, 51 blandingi, Emys, 190 brachyphona, Pseudacris, 54 bradburyae, Oneirodes, 242, 244–245 Branchiostoma caribaeum, 116 branchi, Leuciscus, 67 bressoni, Leptotyphlops, 94 breviceps, Moxostoma, 134 Bufo, 25, 27–28 fowleri, 261 marinus, 264, 270 terrestris, 27-28, 55 terrestris americanus, 189 valliceps, 25, 27–28, 259–261 woodhousei, 259–260 woodhousei x valliceps, 259 bufonius, Leptodactylus, 207 bulverda, Terrapene, 163, 166, 171 Caecula platyrhyncha, 16 Caiman crocodilus, 128 fuscus, 128 sclerops, 124 yacare, 128 Calamus bajonado, 194 callirostris, Pseudemys, 262 calva, Amia, 158 campester, Gopherus, 169 canaliculata, Terrapene, 163–168, 171 caprodes, Percina, 115 Careproctus cypseluroides, 67 macrodiscus, 67 melanuroides, 67 nigricans, 67 rastrinoides, 67 seraphimae, 67 caribaeum, Branchiostoma, 116 carinatum, Xenogramma, 65 carinatus, Echis, 213 carinatus, Enygrus, 185
carinatus, Enygrus carinatus, 185–186
carolinensis, Anolis, 214, 216
carolinensis, Microhyla, 262
carolina, Terrapene, 163–168, 171, 262
Carphophis amoena amoena, 200
Carphophis amoena amoena, 200 Carpiodes forbesi, 134 cascasia, Mugil, 70 catenifer, Pituophis, 125, 255-257 catenifer, Pituophis melanoleucus, 55 catesbeiana, Rana, 25, 27-30, 189, 191 catus, Ictalurus, 248, 251 catus, Silurus, 248 caudalis, Bitis, 213 cayanus, Pristigaster, 64 celebicus, Acanthurus, 22 Centrarchus, 199 macropterus, 198 centroura, Dasyatis, 249 cepedianum, Dorosoma, 156, 192 Cerastes, 213 cerastes, Crotalus, 211-213 Chaenobryttus coronarius, 218 gulosus, 197-198 chaetodon, Mesogonistius, 199 Chaetodon miliaris, 196 chalybaeus, Notropis, 200 Chelonoidis, 168

Chelydra serpent serpent chiliensis, Chionacti chlorobry Chrysemy picta m picta pi chrysops, chrysotus ciliaris, H cinereus, cinereus, cingulatus Cinixys, 1 Cirrhinus clamitans Clarias, 10 clarki, Pse clarki, Sal Clemmys Clinostom clupeaforn Cnemidop gadovi, inornati labialis, tigris ac Coloconge Coluber co Columbia concinnus Conger cir Coregonus autumn clupeafo nasus, 2 nasus k sardinel wartma cornuta, E cornutus, coronarius Cottus asper, 1-bairdi, 5 bairdi b bairdi p bairdi se rotheus, couchi, Sc cristatus, crocodilus, Crocodilus Crocodylu mindore novaegu Crotalus atrox, 1 cerastes, lepidus l mitchelli viridis, 1 crucifer, H

Ctenosaura

cummings

cyanellus, Cybium fla

Cyema, 95

Cynoscion

cypseluroid

	INDEX
Chelydra	dact
serpentina, 262	dana
serpentina serpentina, 121, 190	Das
chiliensis, Salarias, 248	Das
Chionactis, 212	deco
chlorobryonis, Plethodon glutinosus, 87	dent
Chrysemys	dese
picta marginata X belli, 191	dese
picta picta, 200 chrysops Stenotomus 195	Desi Diae
chrysops, Stenotomus, 195 chrysotus, Fundulus, 251–255 ciliaris, Holocanthus, 21	pi
ciliaris, Holocanthus, 21	pi
cinereus, Conger, 10	pi
cinereus, Conger, 10 cinereus, Plethodon, 86, 92 cingulatus, Fundulus, 251–255 Cinixys, 131	re
cingulatus, Fundulus, 251–255	re
Circhipus fasciatus 104	re
Cirrhinus fasciatus, 194 clamitans, Rana, 25, 27, 37, 55, 232-236	Dica
Clarias, 107 clarki, Pseudacris, 55, 57 clarki, Salmo, 8 Clemmys muhlenbergi, 257	Die
clarki, Pseudacris, 55, 57	Dip
clarki, Salmo, 8	Dip
Clemmys muhlenbergi, 257	Dire
Clinostomus, 134	Disc
clupeaformis, Coregonus, 117	dixi
Cnemidophorus gadovi, 260–261	doc
inornatus, 260–261	dole Dol
labialis, 260	al
tigris aethiops, 261	d
tigris aethiops, 261 coahuila, Terrapene, 168	lo
Coloconger, 03	dorl
Coluber constrictor flaviventris, 189	dor
Columbia, 18 concinnus, Thamnophis sirtalis, 28	Dor
Conger cinereus, 10	p
Conger cinereus, 10 Coregonus, 134, 202	Dra
Coregonus, 134, 202 autumnalis, 240	dug
clupeatormis, 117	dun
nasus, 239–241 nasus kennicotti, 238	Ech
nasus kennicotti, 238	edw
sardinella, 237–241 wartmanni, 117	Ela
cornuta, Bitis, 213	Si
cornutus, Pleuronichthys, 66	V
coronarius, Chaenobryttus, 218	Ela
Cottus	Em
asper, 149	En
bairdi, 59 bairdi bairdi, 141, 143, 145–147, 150 bairdi punctulatus, 141 bairdi semiscaber, 141 rotheus, 149	ens
bairdi punctulatus. 141	Eny
bairdi semiscaber, 141	C
	C
couchi, Scaphiopus, 55, 57 cristatus, Trition, 231	equ
cristatus, Trition, 231	equ
crocodilus, Caiman, 128 Crocodilus niloticus, 270	equ
Crocodylus	equ
mindorensis, 128	equ
novaeguineae, 128	ery
Crotalus	esci
atrox, 125, 212–213 cerastes, 211–213 lepidus lepidus, 126	Eth
cerastes, 211-213	b
repidus lepidus, 120	fi
mitchelli, 213 viridis, 125 crucifer, Hyla crucifer, 189 Ctenosaura pectinata, 268	f
crucifer, Hyla crucifer, 189	g
Ctenosaura pectinata, 268	10
cummingsae, Notropis, 200	8
cyanellus, Lepomis, 199	eug
Cybium flavobrunneum, 65	Eu
Cyema, 95	Eur
Cynoscion nobilis, 64	eur
cypseluroides, Careproctus, 67	eur

tyloides, Paraliparis, 67 ae, Dolopichthys, 245 scyllus albisella, 196 syatis centroura, 249 orticatum, Ambystoma gracile, 46 titex, Osmerus eperlanus, 202 erticola, Pituophis, 255–257 erticola, Pituophis melanoleucus, 55 smognathus fuscus, 200, 231 dophis unctatus, 51-52 unctatus arnyi, 51 unctatus docilis, 51 egalis, 51–52 egalis blanchardi, 51 egalis laetus, 51 egalis regalis, 51 amptodon ensatus, 120 mictylus viridescens, 200 ologonurus maderensis, 65 sas annulata, 57-58 etmus argenteus, 245 scoglossus, 131 ii, Plethodon, 122 cilis, Diadophis punctatus, 51–52 omieui, Micropterus d., 199 lopichthys allector, 245 lanae, 245 ongicornis, 245 rbignyi, Pseudemys, 262 rsalis, Notropis, 134 rosoma cepedianum, 156, 192 betenense, 192 acaena guianensis, 128 gesi, Leptotyphlops, 94 nni, Plethodon, 120 his carinatus, 213 wardsi, Stilbiscus, 12 phe subocularis, 54 vulpina vulpina, 190 assoma zonatum, 197–199 noryi, Trionyx ferox, 121–122 nys blandingi, 190 nneacanthus gloriosus, 199 atus, Dicamptodon, 120 ygrus arinatus, 185 carinatus carinatus, 185-186 arinatus paulsoni, 185-186 ues, Alticus, 247 ues, Hepatoscartes, 247 ues, Rupiscartes, 247 ues, Salarias, 246-247 ues, Scartichthys, 247 throgrammus, Abastor, 200 ulenta, Rana, 233 heostoma parratti, 200 dabellare flabellare, 141, 143, 145-147, 150 ionticola, 114 grahami, 115 lepidum, 115 spectabile, 115 grammus, Puntius, 194 meces fasciatus, 54 rycea, 46 longicauda guttolineata, 200 rypygia, Terrapene, 167-168

fallax, Pseudodipsas, 57-58 Farancia abacura abacura, 257 reinwardti, 258 fasciatus, Barbus, 194 fasciatus, Cirrhinus, 194 fasciatus, Eumeces, 54 fasciatus, Puntius, 194 rasciatus, Puntius, 194
Felichthys, 249
marinus, 248
flabellare, Etheostoma flabellare, 141, 143, 145–
147, 150 flagellum, Masticophis, 125 flaviventris, Coluber constrictor, 189 flavobrunneum, Cybium, 65 flavobrunneum, Lepidocybium, 65 floridana, Natrix, cyclopian, 258 noridana, Natrix, cyclopian, 2 fluviatilis, Lampetra, 269 fluviatilis, Perca, 198 fonticola, Etheostoma, 114 fontinalis, Salvelinus, 1 formosa, Heterandria, 200 formosa, Terrapene, 165, 167 fowleri, Bufo, 261 Fundulus chrysotus, 251-255 cingulatus, 251-255 luciae, 251 fuscus, Caiman, 128 fuscus, Desmognathus, 200, 231 gadovi, Cnemidophorus, 260-261 gadowi, Leptotyphlops, 93-94 Gadus morhua ogac, 203 gairdneri, Salmo, 117 galilea, Tilapia, 112 geographica, Graptermys, 190 gibbosus, Aphredoderus sayanus, 18 gibbosus, Lepomis, 198 gigas, Alticus, 247 gigas, Argyropelecus, 243 gigas, Salarias, 246–247 gigas, Scartichthys, 248 Gila, 134 glaucopareius, Acanthurus, 21-24 glesne, Regalecus, 191 gloriosus, Enneacanthus, 199 glutionosa, Myxine, 269 glutionosa, Plethodon, 75–76, 78–84, 86–91, 122–123 Gopherus, 168 atascoase, 163 campester, 169 polyphemus, 262 gorbuscha, Oncorhyncus, 110, 240 gracile, Ambystoma, 41–42, 44–46, 49–50 gracilis, Melanonus, 243 graciosa, Uta, 128 graeca, Testudo, 270 grahami, Etheostoma, 115 grahami, Natrix, 191 Grammatorcynis bicarinatus, 65 grandis, Paraliparis, 67 granulosa, Taricha, 44, 120 Graptemys geographica, 190 grayi, Barbus, 194 grayi, Pseudemys, 262 griseus, Varanus, 270 grobmani, Plethodon glutinosus, 75, 91, 122–123 grylio, Rana, 258 gryllus, Acris, 200 guianensis, Dracaena, 128 gulosus, Chaenobryttus, 197–198 guttatus, Acanthurus, 22

guttolineata, Eurycea longicauda, 200 Gymnocanthus, 68 hammondi, Scaphiopus, 232–236 hammondii, Thamnophis elegans, 213 harperi, Hybopsis, 200 hartwegi, Trionyx ferox, 191 hawaiiensis, Moringua, 10 Heloderma, 128 suspectum, 54 Hemidactylium, 119 Hepatoscartes eques, 247 Hepatus aliala japonicus, 24 Hesperotestudo, 168-171 Heterandria formosa, 200 Heterodon nasicus, 125 platyrhinos, 189 Hieremys, 262 hippopotamus, Lycenchelys, 67 hollardi, Hollardia, 245 Hollardia hollardi, 245 Holocanthus ciliaris, 21 isabelita, 21 townsendi, 21 Homesthes biocellatus, 248 hubbsi, Anoptichthys, 113 humilis, Lepomis, 20 Hybopsis harperi, 200 Hyla crucifer crucifer, 189 regilla, 25-26, 28-29, 261 squirella, 262 versicolor versicolor, 189 Hynobius lichenatus, 49 Hypopomus, 107 Hypsiglena, 57–58, 212–213 torquata, 57–58 Hypsoblennius, 248 ibera, Testudo, 270 Icelus bicornis, 68 Ictalurus, 134 catus, 248, 251 nebulosus, 251 punctatus, 251 Ilyodon, 118 impressa, Terrapene, 166, 171 innoxia, Terrapene, 165, 167 inornatus, Cnemidophorus, 260–261 interruptus, Archoplites, 197–198, 217 isabelita, Holocanthus, 21 japonicus, Hepatus aliala, 24 jarbua, Therapon, 195 jordani, Anoptichthys, 113 kennicotti, Coregonus nasus, 238 keta, Oncorhynchus, 110, 240 Kinixys, 131 Kinosternon bauri, 186 bauri bauri, 186–188 bauri palmarum, 186-188 subrubrum steindachneri, 187 subrubrum subrubrum, 187 klauberi, Terrapene, 168 rohita, 100-106, 108 melanampyx, 194 labialis, Cnemidophorus, 260 Labichthys, 96 Labroides, 196

lacustris, Le laetus, Diac Lampetra fl Lampropelt Lanthanotu Lasiognath laterale, An latifrons, A latifrons, Li lentiginosus Lepidocybia Lepidosarda lepidum, Et lepidus, Cro Lepisosteus Lepomis auritus, 2 cyanellus gibbosus, humilis, 2 macrochi marginat Leptodacty albilabris bufonius, nanus, 20 pentadaci Leptodeira annulata, torquata, Leptotyphlo bressoni, dugesi, 94 gadowi, maximus, myopticu phenops, phenops l phenops p Leucichthys Leucichthys Leuciscus b leucosternor lichenatus, Liopelma, 1 Liparis koefoedi, latifrons 1 liparis lat marmorat punctatus lituratus, N lodingi, Nec llanensis, Te longicornis, longinsulae. Lota lota la louisianensis luciae, Fund Lucioperca lutrensis, N Luzonichthy addisi, 25 waitei, 25

whitleyi,

hippopota lychnus, Ar

Lycenchelys

Lycodapus

Lycodes, 68 bathybius

brevipes of

lacustris, Lota lota, 58-59 laetus, Diadophis regalis, 51 Lampetra fluviatilis, 269 Lampropeltis doliata triangulum, 190 Lanthanotus, 128 Lasiognathus, 245 laterale, Ambystoma, 188 latifrons, Aequidens, 112 latifrons, Liparis liparis, 67 lentiginosus, Ostracion, 195 Lepidocybium flavobrunneum, 65 Lepidosarda retigramma, 65 lepidum, Etheostoma, 115 lepidus, Crotalus lepidus, 126 Lepisosteus, 141 Lepomis auritus, 200 cyanellus, 199 gibbosus, 198 humilis, 20 macrochirus macrochirus, 218 marginatus, 200 Leptodactylus, 209 albilabris, 207-210 bufonius, 207 nanus, 207–208 pentadactylus, 208 Leptodeira annulata, 58 torquata, 57 Leptotyphlops, 93-94 bressoni, 94 dugesi, 94 gadowi, 93-94 maximus, 94 myopticus, 94 phenops, 94 phenops bakewelli, 94 phenops phenops, 94 Leucichthys, 134, 202 Leucichthys artedi, 116, 141 Leuciscus brandti, 67 leucosternon, Acanthurus, 21–22 lichenatus, Hynobius, 49 Liopelma, 131 Liparis koefoedi, 68 latifrons meridionalis, 67 liparis latifrons, 67 marmoratus, 67 punctatus, 67 lituratus, Naso, 21 lodingi, Necturus punctatus, 200 llanensis, Terrapene, 167, 171 longicornis, Dolopichthys, 245 longinsulae, Terrapene, 166-168 Lota lota lacustris, 58-59 louisianensis, Notophthalmus viridescens, 189 luciae, Fundulus, 251 Lucioperca sandra, 269 lutrensis, Notropis, 115 Luzonichthys, 251 addisi, 251 waitei, 251 whitleyi, 251 Lycenchelys, 68 hippopotamus, 67 lychnus, Argyropelecus, 110 Lycodapus microchir, 67 Lycodes, 68 bathybius, 67

brevipes ochotensis, 67

knipowitschi panthera, 67 microlepidotus, 67 palearis multifasciatus, 67 Lycogramma soldatovi, 67 macrocephala, Moringua, 11 macrochir, Moringua, 11, 15–17 macrochirus, Lepomis macrochirus, 218 macrodiscus, Careproctus, 67 macropterus, Centrarchus, 198 maculatum, Ambystoma, 42, 191 maculatus, Notropis, 200 maculatus, Trinectes maculatus, 60–62 maculosa, Salamandra, 269 maculosus, Necturus maculosus, 189 maderensis, Diplogonurus, 65 major, Terrapene carolina, 165 Malacochersus, 262 malma, Salvelinus, 240 Manculus, 119 marginatum, Stereochilus, 119 marginatus, Lepomis, 200 marinus, Bufo, 269-270 marinus, Felichthys, 248 marinus, Petromyzon, 134 marmoratus, Liparis, 67 marmoratus, Uropterygius, 16 marnochi, Terrapene, 167–168 marnocki, Syrrhophus, 25, 55 martii, Pristigaster, 64 martiusi, Pristigaster, 64 Masticophis flagellum, 125 maximus, Leptotyphlops, 94 maximus, Leptotyphlops, 94 mearnsi, Uta, 128 melanampyx, Barbus, 194 melanampyx, Labeo, 194 melanampyx, Puntius, 194 Melanonus gracilis, 243 unipennis, 243 melanota, Rana clamitans, 189 melanuroides, Careproctus, 67 melanurus, Tropidophis, 213 Menidia beryllina, 200 Merluccius bilinearis, 111 meridionalis, Liparis latifrons, 67 Mesogonistius, 199 chaetodon, 199 mexicana, Terrapene, 168, 262 mexicanus, Astyanax, 113 microchir, Lycodapus, 67 Microhyla, 55 carolinensis, 262 olivacea, 55, 57 microlepidotus, Lycodes, 67 microlepis, Naurua, 251 Microlophichthys microlophus, 245 microlophus, Microlophichthys, 245 Microstoma dolomieui dolomieui, 199 microstoma, 242 salmoides salmoides, 197-199 microstoma, Microstoma, 242 miliaris, Chaetodon, 196 mindorensis, Crocodylus, 128 Mirolabrichthys tuka, 251 waitei, 251 mississipiensis, Alligator, 124, 270 mitchelli, Crotalus, 213 miurus, Schilbeodes, 250 Mollienesia, 118 mollis, Schilbeodes, 200

Monachilys, 168 monroviae, Acanthurus, 21 morhua, Gadus, 203 Moringua, 10-11, 16-17 abbreviata, 11, 15-16 bicolor, 11, 15-16 hawaiiensis, 10 macrocephala, 11, 15-16 macrochir, 11, 15-17 Moxostoma breviceps, 134 Mugil cascasia, 70 muhlenbergi, Clemmys, 257 multifasciatus, Lycodes palearis, 67 muticus, Trionyx, 120 myopticus, Leptotyphlops, 94 Myoxocephalus quadricornis, 68, 240-241 Myxine glutinosa, 269 namaycush, Salvelinus, 202 nanus, Leptodactylus, 207–208 nasicus, Heterodon, 125 Naso lituratus, 21 unicornis, 21 nasus, Coregonus, 239-241 natalis, Ameiurus, 158 Natrix, 213 cyclopian floridana, 258 grahami, 191 septemvittata, 191 sipedon pictiventris, 257 sipedon pleuralis, 200 sipedon pieuraiis, 200 sipedon sipedon, 190 Naurua, 251 addisi, 251 microlepis, 251 waitei, 251 nebulosus, Ictalurus, 251 maculosus maculosus, 189 maculosus stictus, 189 punctatus lodingi, 200 nelsoni, Terrapene, 168 Nematoprora, 96 Nemichthys, 96 nerka, Oncorhynchus, 2 Nesogrammus thompsoni, 65 Nessorhamphus, 95 niger, Thyrsites, 65 nigricans, Careproctus, 67 nigromaculatus, Pomoxis, 158 nilotica, Tilapia, 112 niloticus, Crocodilus, 270 nobilis, Cynoscion, 64 normani, Avocettinops, 98-99 Notophthalmus viridescens louisianensis, 189 Notropis chalybaeus, 200 cummingsae, 200 dorsalis, 134 lutrensis, 115 maculatus, 200 Noturus, 134 novaeguineae, Crocodylus, 128 occipitomaculata, Storeria, 191 ochotensis, Lycodes brevipes, 67 odoratus, Sternotherus, 187, 190 ogac, Gadus morhua, 203 olfersi, Argyropelecus, 109-110 olriki, Aspicophoroides, 68 olvacea, Microhyla, 55-57 Oneirodes bradburyae, 242, 244-245 Opheodrys vernalis vernalis, 189

Ophicephalus, 107, 109 punctatus, 107 striatus, 100-106, 108 Orcorhynchus gorbuscha, 110, 240 keta, 110, 240 nerka, 2 ordinoides, Thamnophis, 28 ornata, Pseudacris, 200 ornata, Pseudemys, 262 ornata, Terrapene, 166, 168, 191 osborni, Osteolaemus, 128 Osmerus eperlanus dentex, 202 Osteolaemus osborni, 128 tetraspis, 128 Ostracion lentiginosus, 195 palmarum, Kinosternon bauri, 186-188 palustris, Rana, 189 panthera, Lycodes knipowitschi, 67 Paraliparis albeolus, 67 dactyloides, 67 grandis, 67 paulsoni, Enygrus carinatus 185–186 pectinata, Ctenosaura, 268 Pelamis platyurus, 263 pentadactylus, Leptodactylus, 208 Perca fluviatilis, 198 Percina caprodes, 115 Percopsis, 18 Pervagor spilosoma, 196 petenense, Dorosoma, 192 petersoni, Salarias, 247–248 petersoni, Scartichthys, 248 Petromyzon marinus, 134 phenops, Leptotyphlops, 94 phenops, Leptotyphlops phenops, 94 Phyllorhynchus, 212–213 Phyton, 270 picta, Chrysemys picta, 200 pictiventris, Natrix sipedon, 257 pipiens, Rana, 25, 27–28, 45, 52, 55, 189, 208–210, 230–232, 234–236 Pituophis, 212 catenifer, 125, 255-257 deserticola, 255-257 melanoleucus catenifer, 55 melanoleucus deserticola, 55 platyrhinos, Heterodon, 189 platyrhyncha, Caecula, 16 platyurus, Pelamis, 263 Plethodon, 122 cinereus, 86, 92 dunni, 120 dixi, 122 glutinosus, 75-76, 78-84, 86-92, 122-123 glutinosus albagula, 81 glutinosus chlorobryonis, 87 glutinosus glutinosus, 87 glutinosus grobmani, 75, 91, 122-123 pleuralis, Natrix sipedon, 200 Pleuronichthys cornutus, 66 Poeciliopsis, 118 polyphemus, Gopherus, 262 Pomolobus pseudoharengus, 155 pomotis, Acantharchus, 198 Pomoxis, 199 annularis, 198 nigromaculatus, 158 Porcus, 249 Poreogadus, 68

Porocottus,

Pristigaster american

cayanus,

martii, 64

Prosopium,

Protobatrae Pseudacris, brachyph clarki, 55

nigrita tr

ornata, 2

streckeri.

dorbigny

ornata, 2 scripta, 2

Pseudodips

pseudohare

Pseudorhon Pseudotrito

ruber, 23

ruber vio

punctatum,

punctatus,

punctatus,

punctatus,

punctatus, punctatus, punctatus, Puntius, 19 eugramm

fasciatus, melanam

punctulatus

putnami, T pygaea, Ser Pygopus, 13

pyroferus, A quadricorni

rackliffei, A radians, Spa radix, Than

Rana, 25, 2 aurora, 4

catesbeiar clamitans clamitans

esculenta,

grylio, 25

palustris, pipiens, 230–232

sylvatica,

temporari raniceps, Co rastrinoides,

Regalecus g regalis, Diac

regalis, Diac

regilla, Hyla

Remilegia a

Remora scu

retigramma,

Rhinocheilu

Roccus saxa

rohita, Labe

Pseudemyd

Pseudemys callirostri Porocottus, 68 rotheus, Cottus, 149 ruber, Pseudotrition, 231 Pristigaster, 63 americanus, 64 rubropunctatus, Salarias, 247 cavanus, 64 Rupiscartes eques, 247 martii, 64 ruthenus, Acipenser, 269 martiusi, 64 Ruvettus, 65 Prosopium, 202 Protobatrachus, 130 Saccobranchus, 107 Salamandra maculosa, 269 Pseudacris, 200 Salarias brachyphona, 54 chiliensis, 248 clarki, 55, 57 eques, 246-247 gigas, 246-247 petersoni, 247-248 nigrita triseriata, 189 ornata, 200 streckeri, 56-57 rubropunctatus, 247 Pseudemydura, 262 Salmo, 10 clarki, 8 Pseudemys callirostris, 262 gairdneri, 117 dorbignyi, 262 grayi, 262 salmoides, Micropterus salmoides, 197-199 Salvelinus ornata, 262 scripta, 262 alpinus, 202, 240 fontinalis, 1, 7 Pseudodipsas fallax, 57-58 malma, 240 pseudoharengus, Pomolobus, 155 Pseudorhombus, 66 namaycush, 202 sardinella, Coregonus, 237-241 Pseudotriton saxatilis, Roccus, 200 ruber, 231 ruber vioscai, 200 sayanus, Aphredoderus, 18 scaber, Artediellus, 68 punctatum, Ambystoma, 231 punctatus, Diadophis, 51–52 punctatus, Ictalurus, 251 Scaphiopus, 235 couchi, 55, 57 hammondi, 232-236 punctatus, Liparis, 67 punctatus, Ophicephalus, 107 punctatus, Sphenodon, 262 punctatus, Trionyx, 262 Scartichthys, 246 eques, 247 gigas, 248 petersoni, 248 Puntius, 194 viridis, 248 eugrammus, 194 Schilbeodes, 134 fasciatus, 194 miurus, 250 mollis, 200 melanampyx, 194 punctulatus, Cottus bairdi, 141 schmidti, Avocettinops, 95–96, 98–99 sclerops, Caiman, 124 scripta, Pseudemys, 262 putnami, Terrapene, 167–168 pygaea, Seminatrix pygaca, 258 Pygopus, 131 scutata, Remora, 70 pyroferus, Acanthurus, 22 Seminatrix pygaea pygaea, 258 semiscaber, Cottus bairdi, 141 quadricornis, Myoxocephalus, 68, 240-241 septemvittata, Natrix, 191 rackliffei, Acanthurus, 21, 23-24 radians, Sparisoma, 249 seraphimae, Careproctus, 67 serpentina, Chelydra, 262 radix, Thamnophis radix, 190 Rana, 25, 27-29 serpentina, Chelydra serpentina, 121, 190 Signalosa petenensis atchafalayae, 192 aurora, 44 signifer, Thymallus arcticus, 202 Silurus, 249 catesbeiana, 25, 27-30, 189, 191 clamitans, 25, 27, 37, 55, 232-236 bagre, 248 clamitans melanota, 189 catus, 248 esculenta, 233 grylio, 258 singletoni, Terrapene, 165, 167 sipedon, Natrix sipedon, 190 sirtalis, Thamnophis sirtalis, 190 palustris, 189 pipiens, 25, 27–28, 45, 52, 55, 189, 208–210, 230–232, 234–236 Sistrurus catenatus tergeminus, 125 sladeni, Argyropelecus, 109-110 sylvatica, 191 soldatovi, Lycogramma, 67 temporaria, 265 raniceps, Coloconger, 62-63 Sparisoma radians, 249 Sparisonia radiano, 272 spectabile, Etheostoma, 115 Sphenodon punctatus, 262 spilosoma, Pervagor, 196 spiniferus, Trionyx ferox, 191 Sparisonia radiano, 270 spiniferus, 260 s rastrinoides, Careproctus, 67 Regalecus glesne, 191 regalis, Diadophis, 51-52 regalis, Diadophis regalis, 51 regilla, Hyla, 25-26, 261 reinwardti, Farancia, 258 Squalus acanthias, 269 squirella, Hyla, 262 steindachneri, Kinosternon subrubrum, 187 Remilegia australis, 70 Remora scutata, 70 Stenodus, 202 Stenotomus chrysops, 195 retigramma, Lepidosarda, 65 Rhinocheilus, 212 Sternotherus odoratus, 187, 190 Roccus saxatilis, 200 Stereochilus, 119 rohita, Labeo, 100, 101-106, 108 marginatum, 119

-210,

stictus, Neturus maculosus, 189 Stilbiscus edwardsi, 12 Storeria dekayi victa, 257 dekayi wrightorum, 190 occipitomaculata, 191 streckeri, Pseudacris, 56-57 striatus, Ophicephalus, 100–106, 108 sturio, Acipenser, 116 subocularis, Elaphe, 54 subrubrum, Kinosternon subrubrum, 187 suspectum, Heloderma, 54 sylvatica, Rana, 191 Syrrhophus, 27–28 marnocki, 25, 55 Taricha, 120 granulosa, 44, 120 taylori, Agkistrodon bilineatus, 259 taylori, Agsistrodon bilineatus, 259 temporaria, Rana, 265 tergeminus, Sistrurus catenatus, 125 Terrapene, 163, 167–168 antipex, 165 bulverda, 163, 166, 171 canaliculata, 163–168, 171 carolina, 163–168, 171, 262 carolina bauri 165 carolina bauri, 165 carolina major, 165 carolina triunguis, 165 coahuila, 168 eurypygia, 167-168 formosa, 165, 167 impressa, 166, 171 innoxia, 165, 167 klauberi, 168 llanensis, 167, 171 longinsulae, 166, 168 marnochi, 167-168 mexicana, 168, 262 nelsoni, 168 ornata, 166, 168, 191 putnami, 167–168 singletoni, 165, 167 whitneyi, 163, 166, 168 terrestris, Bufo, 27–28, 55 Testudo, 162–163 angusticeps, 170-171 graeca, 270 ibera, 270 wilsoni, 168-171 tetraspis, Osteolaemus, 128 Thamnophis, 213 elegans hammondii, 213 ordinoides, 28 radix radix, 190 sirtalis concinnus, 28 sirtalis sirtalis, 190 Therapon jarbua, 195 thompsoni, Nesogrammus, 65

Thymallus arcticus signifer, 202

Thyrsites niger, 65

tigrinum, Ambystoma, 42, 45, 49 tigrinum, Ambystoma tigrinum, 189 Tilapia, 112 galilea, 112 nilotica, 112 zilli, 112, 113 torquata, Leptodeira, 57 torquata, Hypsiglena, 57–58 townsendi, Holocanthus, 21 triangulum, Lampropeltis doliata, 190 tridactylum, Amphiuma means, 200 Trionyx, 121, 262 ferox emoryi, 121–122 ferox hartwegi, 191 ferox spiniferus, 191 muticus, 120 punctatus, 262 triostegus, Acanthurus, 23-24 tripunctulatus, Valenciennellus, 243 triseriata, Pseudacris nigrita, 189 Triton cristatus, 231 triunguis, Terrapene carolina, 165 Tropidophis melanurus, 213 tuka, Mirolabrichthys, 251 Tylognathus, 194 unicornis, Naso, 21 unipennis, Melanonus, 243 Uropterygius marmoratus, 16 Uta graciosa, 128 mearnsi, 128 Valenciennellus tripunctulatus, 243 valliceps, Bufo, 25, 27-28, 55, 259-261 vernalis, Opheodrys vernalis, 189 Varanus griseus, 270 versicolor, Hyla versicolor, 189 victa, Storeria dekayi, 257 vicilis Vartusis, 198 vigilis, Xantusia, 128 vioscai, Pseudotriton ruber, 200 viridescens, Diemictylus, 200 viridis, Crotalus, 125 viridis, Scartichthys, 248 vulpina, Elaphe vulpina, 190 waitei, Luzonichthys, 251 waitei, Mirolabrichthys, 251 waitei, Naurua, 251 wartmanni, Coregonus, 117 whitleyi, Luzonichthys, 251 whitneyi, Terrapene, 163, 166, 168 wilsoni, Testudo, 168-171 woodhousei, Bufo, 259-260 wrightorum, Storeria delayi, 190 Xantusia vigilis, 128 Xenogramma carinatum, 65 Xenopus, 264 yacare, Caiman, 128 zilli, Tilapia, 112-113 zonatum, Elassoma, 197-199

